

Material Safety Data Sheet

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Organic Peppermint Oil (Mentha Arvensis) WHC426

Company Name: William Hodgson & Company

'The Dairy',

Gawsworth Business Court, Shellow Lane, North Rode, Congleton, Cheshire. CW12 2FQ

 Telephone Number:
 01260 222 943

 Fax Number:
 01260 222 994

 Mobile Number:
 07795 414 061

CAS Number: 68917-18-0

Chemical Name: DEFINITION/BOTANICAL ORIGIN: Mentha arvensis leaf Oil is obtained by steam

distillation from the leaves of Mentha arvensis L., Labiatae.

Synonyms, Trade names: INCI NAME: Mentha arvensis Leaf Oil

Origin: India

2. HAZARDS IDENTIFICATION

CLASSIFICATION (1999/45) Xi;R38. R43. N;R51/53.

CLASSIFICATION (EC 1272/2008)

Physical and Chemical Hazards

Human Health Environment Not classified.

Skin Irrit. 2 - H315; Skin Sens. 1 - H317

Aquatic Chronic 2 – H411

LABEL IN ACCORDANCE WITH (EC) NO. 1272/2008





SIGNAL WORD: Warning CONTAINS: LIMONENE PINENES

HAZARD STATEMENTS:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS:

P273 Avoid release to the environment.







P280 Wear protective gloves/protective clothing/eye protection/face

protection.

SUPPLEMENTARY PRECAUTIONARY STATEMENTS:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash.....thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P302+352 **IF ON SKIN:** Wash with plenty of soap and water...

P321 Specific treatment (see....on this label).

P332+313 If skin irritation occurs: Get medical advice/attention.
P333+313 If skin irritation or rash occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

P501 Dispose of contents/container to....

3. COMPOSITION/INFORMATION ON INGREDIENTS

LIMONENE		5-10%
CAS-No.: 138-86-3	EC No.: 205-341-0	
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Flam. Liq. 3 – H226	Xn;R65.	
Skin Irrit. 2 – H315	Xi;R38.	
Skin Sens. 1 – H317	N;R50/53.	
Asp. Tox. 1 – H304	R10,R43.	
Aquatic Acute 1 – H400		
Aquatic Chronic 1 – H410		
•		

MENTHOLS		30-60%
CAS-No.: 89-78-1	EC No.: 201-939-0	
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Skin Irrit. 2 – H315	Xi;R38.	

MENTHONE		30-60%
CAS-No.: 89-80-5	EC No.: 201-941-1	
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Aquatic Chronic 3 – H412	R52/53.	
·		

MENTHYL ACETATE		1-5%
CAS-No.: 89-48-5	EC No.: 201-911-8	
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Aquatic Chronic 2 – H411	N;R51/53.	
·		







PINENES 1-5%

CAS-No.: EC No.:

Classification (EC 1272/2008) Classification (67/548/EEC)

Flam. Liq. 3 – H226 Xn;R65. Skin Sens. 1 – H317 N;R50/53. Asp. Tox. 1 – H304 R43,R10..

Aquatic Acute 1 – H400 Aquatic Chronic 1 – H410

PULEGONES 1-5%

CAS-No.: 89-82-7 EC No.: 201-943-2

Classification (EC 1272/2008) Classification (67/548/EEC)

Acute Tox. 4 – H302 Xn;R22.

The Full Text for all R-Phrases and Hazard Statements is Displayed in Section 16

CAS-NO. 68917-18-0

4. FIRST-AID MEASURES

GENERAL INFORMATION: Remove affected person from source of contamination. Perform artificial respiration

if breathing has stopped.

NOTES TO THE PHYSICIAN: No specific first aid measures noted.

INHALATION: Inhalation may cause coughing, tightness of the chest and irritation of the

respiratory system. Move the exposed person to fresh air at once. Get medical

attention if any discomfort continues.

INGESTION: If necessary, rinse mouth and provide fresh air. Get medical attention if any

discomfort continues.

SKIN CONTACT: If necessary remove contaminated clothing and wash skin with soap and water.

Get medical attention if any discomfort continues.

EYE CONTACT: Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyes wide apart. Get medical attention if any discomfort

continues.

5. FIRE FIGHTING EXTINGUISHING MEASURES

EXTINGUISHING MEDIA: Fire can be extinguished using: Foam, carbon dioxide or dry powder. SPECIAL FIRE FIGHTING PROCEDURES: Containers close to the fire should be removed or cooled with water.

UNUSUAL FIRE & EXPLOSION

HAZARDS: No unusual fire or explosion hazards noted.

SPECIFIC HAZARDS: When heated and in case of fire, toxic vapours/gasses may be formed.

PROTECTIVE MEASURES IN FIRE: Self-contained breathing apparatus and full protective clothing must be worn in

case of fire.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Use protective gloves, goggles and suitable protective clothing. In case of spills,

beware of slippery floors and surfaces.

ENVIRONMENTAL PRECAUTIONS: Do not discharge into drains, water courses or onto the ground.

SPILL CLEAN UP METHODS: Absorb with inert, damp, non-combustible material, then flush area with water. Shovel into dry containers. Cover and move the containers. Flush the area with







7. HANDLING & STORAGE MEASURES

USAGE PRECAUTIONS: Avoid spilling, skin and eye contact. Ensure adequate ventilation of the working

area. Adopt best manual handling considerations when handling, carrying and

dispensing.

STORAGE PRECAUTIONS: Store in tightly closed original container in a dry, cool and well-ventilated place.

Keep away from heat, sparks and open flame. Protect from freezing and direct

sunlight.

STORAGE CLASS: Unspecified storage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:

HAND PROTECTION:







ENGINEERING MEASURES: Provide adequate ventilation.

RESPIRATORY EQUIPMENT: No specific recommendation made, but respiratory protection may still be required

under exceptional circumstances when excessive air contamination exists. Protective gloves should be used if there is a risk of direct contact or splash.

EYE PROTECTION: If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION: Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES: No specific hygiene procedures noted, but good personal hygiene practices are

always advisable, especially when working with chemicals.

SKIN PROTECTION: Wear apron or protective clothing in case of splashes.

9. PHYSICAL & CHEMICAL PROPERTIES

Please see separate specification sheet.

10. STABILITY AND REACTIVITY

STABILITY: Stable under normal temperature conditions.

CONDITIONS TO AVOID: Avoid heat, flames and other sources of ignition.

HAZARDOUS POLYMERISATION: Will not polymerise.

MATERIALS TO AVOID: Strong oxidizing substances. Strong acids. Strong Alkalis. HAZARDOUS DECOMP. PRODUCTS: In case of fire, toxic gasses (CO, CO2, NOx) may be formed.

11. TOXICOLOGICAL INFORMATION

See section-2

GENERAL INFORMATION: No specific health warnings noted.

INHALATION: In high concentrations, vapours may irritate throat and respiratory system and

cause coughing.

INGESTION: No specific health warnings noted. No harmful effects expected in amounts likely to

be ingested by accident.

SKIN CONTACT: No specific health warnings noted.

EYE CONTACT: Spray and vapour in the eyes may cause irritation and smarting.

HEALTH WARNINGS: No specific health warnings noted.

MEDICAL SYMPTOMS: No specific symptoms noted, but this chemical may still have adverse health

impact, either in general or on certain individuals.







MEDICAL CONSIDERATIONS:

Persons with rash are directed to skin expert for examination of allergic eczema.

12. ECOLOGICAL INFORMATION

ECOTOXICITY: Refer to section-2

13. DISPOSAL CONSIDERATIONS

GENERAL INFORMATION: Waste suitable for incineration.

DISPOSAL METHODS: Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION



PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (MENTHOFUF	PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTAN	E. LIQUID. N	N.O.S (MENTHOFURA	4)
---	-----------------------	-----------------------------------	--------------	-------------------	------------

UN NO. ROAD: 3082

ADR CLASS NO: 9 ADR CLASS Class 9: Miscellaneous

dangerous substances and articles.

ADR PACK GROUP III TUNNEL RESTRICTION CODE (E)
HAZARD No. (ADR) 90 ADR LABEL No. 9
HAZCHEM CODE •3Z

 UN NO. SEA
 3082
 IMDG CLASS
 9

 IMDG PACK GR
 III
 EMS
 F-A, S-F

 UN NO. AIR
 3082
 AIR CLASS
 9

AIR PACK GR. III

15. REGULATORY INFORMATION

EU DIRECTIVES:

Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

STATUTORY INSTRUMENTS:

The Chemicals (Hazard information and Packaging for Supply) Regulations 2009 (S.I. 2009 No. 716).

APPROVED CODE OF PRACTICE:

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES:

Workplace Exposure Limits EH40







16. OTHER INFORMATION

GENERAL INFORMATION: Shelf life: 36 months when stored within advised conditions.

RISK PHRASES IN FULL:.

R10 Flammable.

R22 Harmful if swallowed.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R38 Irritating to skin.

R43 May cause sensitisation by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

HAZARD STATEMENTS IN FULL:

H315 Causes skin irritation.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H412 Harmful to aquatic life with long lasting effects.H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.
 H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

DISCLAIMER:

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Date of First Issue: 24.09.2014





